



Dynamics and Relaxation in Complex Quantum and Classical Systems
and Nanostructures (Dresden, 2006 summer)

Quantum Fluctuation of Conductivities in Quantum Hall Effect

Manabu Machida (U. Tokyo, Japan)

In collaboration with


N. Hatano (U. Tokyo, Japan) and

J. Goryo (Aoyama Gakuin Univ., Japan)

Conductivity in a periodic potential

$$H(t) = \frac{1}{2m} \left(\vec{p} + e\vec{A}(t) \right)^2 + U(x, y)$$

$$B \quad U(x, y) = U_1 \cos\left(\frac{2\pi x}{a}\right) + U_2 \cos\left(\frac{2\pi y}{b}\right)$$




$$\vec{A}(t) = \begin{pmatrix} 0 \\ Bx - E_y t \end{pmatrix}$$

$$J_x = \sigma_{xy} E_y, \quad J_y = \sigma_{yy} E_y$$

[D. J. Thouless, M. Kohmoto, M.P. Nightingale, and M. den Nijs,
PRL **9** (1982) 405.]

My calculation

Switch on E_y abruptly at $t = 0$



Linear response for finite time




$$\sigma_{xy} = \frac{e^2}{h} N_{\text{Ch}} + [\text{Oscillation in time}]$$




$$\sigma_{yy} = 0 + [\text{Oscillation in time}]$$

Energy levels

$$\frac{\Phi}{\Phi_0} = \frac{abB}{2\pi\hbar/e} = \frac{p}{q}$$



$U(x, y)$



Wavefunction in the weak potential

$$u_{m\vec{k}}(x, y) = \frac{1}{\sqrt{N}} \sum_{n'=1}^p d_m^{n'} \sum_{\ell=-\infty}^{\infty} e^{-\frac{eB}{2\hbar} \left(x + \frac{\hbar k_y}{eB} - \ell qa - \frac{n'qa}{p} \right)^2} \\ \times e^{-ik_x(x - \ell qa - n'qa/p)} e^{-2\pi i y \frac{\ell p + n'}{b}}$$

$$\beta d_m^{n'-1} + \alpha_{n'} d_m^{n'} + \beta^* d_m^{n'+1} = \varepsilon_{m\vec{k}}^{(1)} d_m^{n'}$$

$$\alpha_{n'} = U_1 e^{-\frac{\pi qb}{2pa}} \cos\left(-qb k_y / p + 2\pi n' q / p\right)$$

$$\beta = \frac{U_2}{2} e^{-\frac{\pi qa}{2pb}} e^{-iq a k_x / p}$$

[D. J. Thouless, M. Kohmoto, M.P. Nightingale, and M. den Nijs, PRL **9** (1982) 405.]

Greenwood's linear response theory

[D. A. Greenwood, Proc. Phys. Soc. **71** (1958) 585.]

$$\rho \simeq \rho^{(0)} + E_y \rho^{(1)}$$



$$\rho^{(0)} = \int_{\text{MBZ}} \frac{d^2 \vec{k}}{(2\pi)^2} \sum_{m=1}^p |m\vec{k}\rangle f(E_{m\vec{k}}) \langle m\vec{k}|$$

$$\frac{d}{dt} \rho(t) = \frac{1}{i\hbar} [H(t), \rho(t)]$$



$$\langle J_x(E_y) \rangle = \text{Tr} \rho(t) \frac{\partial H(t)}{\partial A_x}$$

$$J_x = \sigma_{xy} E_y$$

$$J_y = \sigma_{yy} E_y$$

Density Matrix

$$\rho_{mn\vec{k}} = \langle u_{m\vec{k}} | e^{-i\vec{k}\cdot\vec{x}} \rho e^{i\vec{k}\cdot\vec{x}} | u_{n\vec{k}} \rangle, \quad \rho_{mn\vec{k}}^{(0)} = f_m \delta_{mn}$$

$$\frac{d}{dt} \rho_{mn\vec{k}}^{(1)} = \frac{1}{i\hbar} (\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}) \rho_{mn\vec{k}}^{(1)} + \frac{e}{\hbar} (f_m - f_n) \left\langle \frac{\partial u_{m\vec{k}}}{\partial k_y} \middle| u_{n\vec{k}} \right\rangle$$

$(m \neq n),$

$$\frac{d}{dt} \rho_{nn\vec{k}}^{(1)} = 0$$


$$\rho_{mn\vec{k}}^{(1)} = ie \left\langle \frac{\partial u_{m\vec{k}}}{\partial k_y} \middle| u_{n\vec{k}} \right\rangle \frac{f_m - f_n}{\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}} \left[1 - e^{-i(\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}})t/\hbar} \right]$$

Conductivity

$$\sigma_{xy} = \frac{e^2}{2\pi\hbar} N_{\text{Ch}} + \frac{e^2}{\hbar} \int_{\text{MBZ}} \frac{d^2 \vec{k}}{(2\pi)^2} \sum_{m \neq n} g_{mn}^{xy}(\vec{k})$$

$$\times \sin\left(\left(\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}\right)t / \hbar - \theta_{mn}(\vec{k})\right)$$

$$\sigma_{yy} = \frac{e^2}{\hbar} \int_{\text{MBZ}} \frac{d^2 \vec{k}}{(2\pi)^2} \sum_{m \neq n} g_{mn}^{yy}(\vec{k}) \sin\left(\left(\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}\right)t / \hbar\right)$$



Details

$$N_{\text{Ch}} = \sum_m f_m \int_{\text{MBZ}} \frac{d^2 \vec{k}}{\pi} \text{Im} \left\langle \frac{\partial u_{m\vec{k}}}{\partial k_y} \left| \frac{\partial u_{m\vec{k}}}{\partial k_x} \right. \right\rangle$$

$$g_{mn}^{xy}(\vec{k}) = (f_m - f_n) r_{mn}(\vec{k})$$

$$g_{mn}^{yy}(\vec{k}) = (f_m - f_n) \left| \left\langle \frac{\partial u_{m\vec{k}}}{\partial k_y} \left| u_{n\vec{k}} \right. \right\rangle \right|^2$$



$$r_{mn}(\vec{k}) e^{i\theta_{mn}(\vec{k})} = \left\langle \frac{\partial u_{m\vec{k}}}{\partial k_y} \left| u_{n\vec{k}} \right. \right\rangle \left\langle u_{n\vec{k}} \left| \frac{\partial u_{m\vec{k}}}{\partial k_x} \right. \right\rangle$$

Parameters

$$B \simeq 10\text{T}, \quad a, b \simeq 100\text{nm},$$
$$U_1, U_2 \simeq 0.1\text{meV}$$

$$\therefore \Delta \sim U \sim 1\text{K} \quad (\gg 10\text{mK})$$

$$U_1, U_2 \simeq 0.1\text{meV}$$








[C.T. Liu, *et al.*, Appl. Phys. Lett. **58** (1991) 2945]






[M.C. Geisler, *et al.*, PRL **92** (2004) 256801 and PRB **72** (2005) 045320]

Example 1

$$\frac{\Phi}{\Phi_0} = \frac{p}{q} = \frac{65}{2}$$



Example 2



Long-time average

σ_{xy} and σ_{yy}

$$\sigma_{xy} = \sigma_{\text{Ch}} + \Delta\sigma_{xy}, \quad \sigma_{\text{Ch}} = \frac{e^2}{2\pi\hbar} N_{\text{Ch}}$$

$$\Delta\sigma_{xy} = \frac{e^2}{\hbar} \int_{\text{MBZ}} \frac{d^2\vec{k}}{(2\pi)^2} \sum_{m \neq n} g_{mn}^{xy}(\vec{k}) \sin\left(\left(\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}\right)t / \hbar - \theta_{mn}(\vec{k})\right)$$

$$\sigma_{yy} = \frac{e^2}{\hbar} \int_{\text{MBZ}} \frac{d^2\vec{k}}{(2\pi)^2} \sum_{m \neq n} g_{mn}^{yy}(\vec{k}) \sin\left(\left(\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}\right)t / \hbar\right) \frac{1}{L_x L_y} \sum_{j_x = -(M_x-1)/2q}^{M_x/2q} \sum_{j_y = -(M_y-1)/2q}^{M_y/2q}$$

$$\overline{\sigma_{yy}} \equiv \lim_{T \rightarrow \infty} \frac{1}{T} \int_0^T dt \sigma_{yy} = 0, \quad \overline{\sigma_{xy}} = \sigma_{\text{Ch}}$$

Long-time variance

$$\begin{aligned}
 \text{var}(\sigma_{yy}) &\equiv \overline{(\sigma_{yy})^2} - (\overline{\sigma_{yy}})^2 \\
 &= \lim_{T \rightarrow \infty} \frac{1}{T} \int_0^T dt \left(\frac{1}{L_x L_y} \right)^2 \sum_{j_x j_y} \sum_{m \neq n} \left(\frac{e^2}{\hbar} g_{mn}^{yy}(\vec{k}) \right)^2 \sin^2 \left((\varepsilon_{m\vec{k}} - \varepsilon_{n\vec{k}}) t / \hbar \right) \\
 &\leq \left(\frac{1}{L_x L_y} \right)^2 \max \left(\frac{e^2}{\hbar} g_{mn}^{yy}(\vec{k}) \right)^2 \sum_{j_x j_y} \sum_{m \neq n} \\
 &= \frac{1}{qabL_x L_y} \max \left(\frac{e^2}{\hbar} g_{mn}^{yy}(\vec{k}) \right)^2 \sum_{m \neq n} \xrightarrow{L \rightarrow \infty} 0
 \end{aligned}$$

$$\text{var}(\sigma_{yy}) \xrightarrow[T \rightarrow \infty]{L \rightarrow \infty} 0, \quad \text{var}(\sigma_{xy}) \xrightarrow[T \rightarrow \infty]{L \rightarrow \infty} 0$$



Long-time behavior

If bands are **flat**, and



only **a pair** of m_0 th and (m_0+1) th bands contributes,

For $T \rightarrow \infty, L \rightarrow \infty,$

$$\overline{\sigma_{xy}} = \sigma_{\text{Ch}}, \quad \overline{\sigma_{yy}} = 0, \quad \text{var}(\sigma_{xy}) = \text{var}(\sigma_{yy}) \neq 0$$



Decays fast



Decays slow

Summary

■ Quantum Hall effect of 2D Bloch electrons
in a periodic potential

Conductivity for finite time

- ⇒ Conductivities **oscillate** in short time.
- ⇒ Eventually the time dependence will cease.
- ⇒ Behavior depends on the Fermi energy.

Manabu Machida, Naomichi Hatano, and Jun Goryo,
J. Phys. Soc. Jpn. **75** (2006) 063704.